# SPILLS ACTION CENTRE SUMMARY REPORT OF 1991 SPILLS

## **NOVEMBER 1992**





## SPILLS ACTION CENTRE SUMMARY REPORT OF 1991 SPILLS

Report prepared by:

Spills Action Centre Regional Operations Division Ontario Ministry of the Environment

NOVEMBER 1992



Cette publication technique n'est disponible qu'en anglais.

Copyright: Queen's Printer for Ontario, 1992

This publication may be reproduced for non-commercial purposes with appropriate attribution.



# TABLE OF CONTENTS

XECUTIVE SUMMARY (	i)
NTRODUCTION	1
PILLS - 1991 SUMMARY	5
- Yearly Spills Totals and Seasonal Fluctuations	5
- Spills to Land, Water and Air	8
- Location of Spills	10
- Types of Materials Spilled	13
- Spill Volumes	15
- Environmental Impact	17
	19
- Spills By Sector	21
- Sources of Spilled Materials	23
- Cause and Reason	27
SPILLS TO THE GREAT LAKES AND	
THEIR INTERCONNECTING CHANNELS	29
APPENDIX I - SAMPLE OCCURRENCE REPORT	
APPENDIX II - ORIS CODING CATEGORIES	
ADDENING HI SPULLS BY CAUSE AND REASON	

## LIST OF FIGURES

FIGURE 1	- REPORTED SPILLS 1988 TO 1991	6
FIGURE 2	- REPORTED SPILLS BY MONTH	7
FIGURE 3	- SPILLS BY MOE DISTRICT	10
FIGURE 4	- SPILL VOLUMES BY MATERIAL TYPE	16
FIGURE 5	- ENVIRONMENTAL IMPACT NATURE OF CONFIRMED IMPACT	18
FIGURE 6	- SPILLS BY SECTOR	20
FIGURE 7	- SPILLS BY SOURCE	24
FIGURE 8	- SPILLS BY CAUSE/SPILLS BY REASON	26
FIGURE 9	- GREAT LAKES SPILL VOLUMES BY MATERIAL TYPE	32



## LIST OF TABLES

TABLE 1 - SPILLS BY RECEIVING MEDIUM	9
TABLE 2 - SPILLS BY MUNICIPAL AREA	11
TABLE 3 - SPILLS BY MATERIAL AND REGION	12
TABLE 4 - FOUR YEAR COMPARISON OF SPILLS BY MATERIAL	14
TABLE 5 - SPILL CLEANUP RESULTS	19
TABLE 6 - YEARLY COMPARISON OF HIGHEST RANKED INDUSTRIAL SECTORS.	22
TABLE 7 - MAJOR COMBINATIONS OF CAUSES AND REASONS FOR SPILLS	28
TABLE 8 - OIL & CHEMICAL SPILLS TO THE GREAT LAKES - SECTOR SUMMARY	30
TABLE 9 - OIL & CHEMICAL SPILLS TO THE GREAT LAKES - MATERIAL SUMMARY	31
TABLE 10- GREAT LAKES SPILL CLEANUP	33



# SPILLS ACTION CENTRE SUMMARY REPORT OF 1991 SPILLS

#### **EXECUTIVE SUMMARY**

Environment Ontario's Spills Action Centre (SAC) receives and initiates responses to spills and other urgent environmental incidents on a 24-hour per day basis. The Centre documented 15,800 occurrence reports in 1991. Two thirds of these involved a range of Ministry notification requirements and environmental complaints from the general public. One third involved spills. The purpose of this report is to summarize information on spills reported to SAC during the calendar year of 1991. It also provides some comparisons to spill results from previous years.

The 5251 spills reported to SAC in 1991 represent about an 8% decrease from 1990. This was the first yearly decrease in reported spills since SAC began operation more than five years ago. Fewer spills to water and air accounted for this decrease while the number of spills to land remained virtually unchanged.

Almost 54% of reported spills involved oils or fuels. Chemicals or chemical solutions accounted for about 18%, wastes or wastewaters 17%, gaseous emissions 9% while other and unknown materials accounted for the remainder. A large portion of these reported spills involved small quantities: 20% were less than 10 litres, 58% were less than 100 litres and 85% were less than 1000 litres. These figures reflect a continuing trend for companies to report smaller quantity spills many of which have little or no likelihood of causing adverse effects.

About 14% of the spills had a confirmed environmental impact or adverse effect identified. Two-thirds of these involved soil contamination while the bulk of the remainder involved surface water contamination. Fifteen spills were reported to have resulted in human health and safety concerns.

Part X of the Environmental Protection Act requires that spills be cleaned up promptly and to the extent practicable. Spill cleanup information in this report shows that about 47% of all spills were completely cleaned up. An additional 17% were partially cleaned up. The majority of the remainder involved spills to air and some spills to water where cleanup was not possible.

The industrial sectors with the largest proportions of reported spills were: transportation - 15%; petroleum - 13%; chemical - 8%; and metallurgical - 8%. Generally, these values are similar to those in 1990 except for a decrease in reported chemical sector spills. Combined public sector spills, including spills from hydroelectric utilities and sewage systems, accounted for about one fifth of reported spills.

Motor vehicles were the largest source of spills accounting for more than one quarter of reported spills. Manufacturing and processing facilities from a variety of sectors, including chemical, metallurgical, pulp and paper and petroleum sectors, accounted for an additional 25%.

About 30% of the spills reported to SAC were either entirely or partially discharged to water. Of these, 288 involved oil or chemical spills to the Great Lakes System including: 103 to Lake Ontario, 64 to the St. Clair River, 54 to the St. Lawrence River, 16 to Lake Erie, 14 to Lake Superior and 13 to Lake Huron. The remainder were to the Detroit River, St. Mary's River, Georgian Bay and the Niagara River.

#### How this data is used

SAC's spill summary reports, and other information from the Ministry's Occurrence Report Information System, assist the ministry and others, such as Environment Canada and the International Joint Commission on the Great Lakes, in identifying and responding to environmental problems.

Ministry pollution abatement programs and spill reduction initiatives are developed or modified as trends or concerns are identified using this type of information. The Ministry has implemented a province-wide Spills Prevention Strategy requiring repeat spillers to submit spill prevention and response plans to the Ministry and to incorporate better management practices. About 30 companies currently involved in this process are submitting comprehensive work plans to address the following areas:

- Spill history review and risk assessment,
- Review of spill detection systems and implementation schedule for upgrade requirements,
- Assessment of diversion, containment and treatment systems and an implementation schedule for required upgrades,
- Emergency response plans and procedures, and
- Environmental awareness training.

#### INTRODUCTION

The purpose of this report is to provide a summarized review of spills reported to Environment Ontario's Spills Action Centre (SAC) during the calendar year of 1991. It also provides some comparisons to results obtained in previous years.

Part X of Ontario's Environmental Protection Act R.S.O. 1990 ("Spills Bill") defines a spill as a discharge of a pollutant into the natural environment, where the discharge is from a container or structure and is abnormal in light of all circumstances. A spill is reportable if it causes or is likely to cause adverse effects, such as impairment to the quality of the natural environment for any use that can be made of it, injury or damage to property and animal life, harm or material discomfort or any other adverse effects listed in Section 1(1) of the Act. The onus is on the person in control of a spilled pollutant and on the person who spills, causes or permits the spill to determine the likelihood for adverse effects and to report accordingly. If adverse effects are likely, then the spill must be reported to the Ministry, the municipality, and in some situations, to the owner or person in control if they are not already aware of the spill.

The Spills Action Centre began operations on November 29, 1985, the same day that the "Spills Bill", came into force. The primary role of the Centre is to receive and initiate response to notifications of spills and other urgent environmental matters on a 24-hour per day basis. It is also responsible for the Ministry's Contingency Planning Program which promotes and reviews the development of industrial and municipal spill contingency plans. SAC's province-wide, toll-free number 1-800-268-6060 is used by industry, response agencies and the public for notifying the Ministry of spills and other urgent environmental incidents. As SAC's telephone number has become better known, it is being used increasingly for a variety of other environmental matters. In 1991, reported spills accounted for about one-third of the 15,800 occurrences reported to SAC. Non-spill occurrences involved a range of Ministry notification requirements and environmental complaints from the general public.

SAC environmental officers evaluate all reported occurrences including spills and decide upon the appropriate action to be taken. This may include any combination of the following:

- Contacting suspected pollution sources in an attempt to verify and resolve the problem;
- Contacting various agencies or potentially affected parties as needed, for example,
   police, fire departments, local municipal authorities, health officials, Coast
   Guard, US authorities, etc.;
- Contacting local Ministry of the Environment (MOE) personnel to initiate a field response when necessary;
- Notifying senior MOE management if the incident is serious, and co-ordinating information flow to the public;
- Contacting the Minister's office and conveying orders or directions from the Minister when necessary;
- Maintaining liaison with the agencies in charge of public safety in an emergency and coordinating MOE's support for their efforts;
- Providing ministry staff and others with information on chemicals and cleanup techniques, either directly or through CANUTEC, Transport Canada's national 24-hour centre;
- Recording the details of non-urgent incidents and sending them to the appropriate district office or other agencies for response during normal business hours.

Regardless of what action is initiated, all occurrences reported to SAC are recorded on a

computerized database management system called the Occurrence Report Information System (ORIS). This system enables the Ministry to track the status of occurrences, and facilitates data retrieval for the purpose of preparing routine summaries and performing non-routine data searches. Each occurrence report consists of a text summarizing the incident and several coded fields which facilitate data retrieval. A sample occurrence report is included in Appendix I and a listing of coding categories used for ORIS is included in Appendix II.

SAC is responsible for maintaining spill records for the entire Ministry. Spills may be reported to the Centre in one of two ways. First, they may be reported directly to SAC by the discharger or other government agencies, which accounts for the majority of spills reported. Second, they may be reported indirectly via other ministry offices. Ministry staff who receive spill reports are instructed to relay the relevant information to SAC as soon as possible to ensure staff at the Centre are aware of the incident, and to allow for prompt documentation, and the preparation of a Ministry spill summary report.

The summaries presented in this report are based on the date the occurrence was reported to SAC. The occurrence date is not always the same as the date the incident was reported. This is especially so for incidents which occur just before midnight and on occasion for those that occur near the end of a calendar year. Furthermore, the occurrence date is not used for summaries because the date of occurrence is not known for some incidents.

This report represents SAC's fourth annual summary report. The previous three reports (1988, 1989 and 1990) dealt with all occurrences reported to SAC - spills, notifications other than spills, complaints and other incidents. The 1991 summary report deals only with spills.

Initial information on spills and emergencies is often incomplete and changes as more information becomes available. Since some incidents take a long time to resolve, the information presented in this report is a "snapshot" of the information that existed in the database at the time summaries were generated. However, it is expected that any changes to the information in SAC's database will have only a minor effect on summaries presented in this report.



### SPILLS - 1991 SUMMARY

This part of the report summarizes the number and type of spills reported to SAC during 1991. Some of the data is presented with comparisons from previous years to highlight trends.

#### YEARLY SPILL TOTALS AND SEASONAL FLUCTUATIONS

The total number of spills reported to SAC from 1988 to 1991 is shown in Figure 1. It shows an increase in reported spills from 4072 in 1988 to 5686 in 1990 and then a decrease to 5251 spills in 1991.

The large and increasing number of reported spills from 1988 to 1990 resulted in the Ministry implementing a Spill Prevention Strategy (SPS). A detailed review of reported spills was undertaken and about 35 companies which had multiple spills at any one location were initially included in this SPS program. The primary focus was on spills having adverse effects on surface or groundwater. Following a series of meetings with identified sources about 30 companies were required to submit comprehensive workplans addressing the following:

- Spill history review and risk assessment,
- Review of spill detection systems and an implementation schedule for upgrade requirements,
- Assessment of diversion, containment and treatment systems and an implementation schedule for required upgrades,
- Emergency response plans and procedures, and
- Environmental awareness training.

Figure 1
Reported Spills - 1988 to 1991





Figure 2
Reported Spills By Month



About one third of the companies in the SPS program had finalized their workplan reports as of August 1992. The remaining two thirds are at various stages of completion and should all be finalized by April of 1993.

Seasonal fluctuations in spills reported are presented in Figure 2, which shows that SAC receives more spill reports during the warmer months than during the colder months. This may be due to a greater number of people being involved in outdoor activities during the warmer months some of which may result in accidents and spills or provide the opportunity to observe and report existing spills.

#### SPILLS TO LAND, WATER AND AIR

Table 1 summarizes spills by medium (i.e. spills to air, land and water) as well as multiple media spills. It also provides comparisons to previous years. In 1991, there was a slight increase in spills to land and spills to land and water and a decrease in spills to water and spills to air.

The spills to land category, 3120 occurrences, accounted for the largest portion of all spills in 1991. These types of spills are the easiest types to manage and clean up and most spills to land are readily cleaned up with the resources of the discharger, clean-up contractors, industry spill response co-operatives, or municipalities. The topic of clean up is discussed in more detail elsewhere in the report.

There were 1054 spills to water. This number excludes all of the minor contaminant exceedences to watercourses, which are required to be reported to the Ministry as conditions of operation. These occurrences are documented as notifications other than spills and, therefore, do not appear in the spill summaries. Generally, spills to water are more difficult to manage and clean up than spills to land and require more specialized expertise and equipment.

There were 451 spills to air during the year. These were releases that due to the duration or

nature of the material involved, were perceived to have the potential to cause an adverse effect or actually did cause an adverse effect. Many sources have brief, fairly regular emissions to the atmosphere which are not classified as spills because there is no likelihood of an adverse effect or the discharges are not abnormal. These minor air discharges are documented as notifications other than spills and are not included in the spill summaries.

Multi medium spills accounted for the remaining 626 of the 5251 spills for the year. A spill to land where a portion of the spilled material entered a watercourse is coded as a spill to land and water. Likewise a few spills effect both land and air, and water and air.


TABLE 1
SPILLS BY RECEIVING MEDIUM

SPILLS	199	1991		1990		1989		1988	
RELEASED TO	SPILLS	%	SPILLS	%	SPILLS	%	SPILLS	%	
Land	3120	59.4	3144	55.3	2996	56.1	2261	55.5	
Water	1054	20.1	1305	23.0	1135	21.2	969	23.8	
Air	451	8.6	649	11.4	776	14.5	543	13.3	
Land and Water	527	10.0	467	8.2	355	6.6	243	6.0	
Air and Land	81	1.6	98	1.7	75	1.4	51	1.3	
Air and Water	18	0.3	23	0.4	8	0.2	5	0.1	
Totals	5251	100.0	5686	100.0	5345	100.0	4072	100.0	

#### LOCATION OF SPILLS

Figure 3 breaks down spills by Ministry District Office areas. The Ministry has 23 District Offices and 3 Sub-Offices, each responsible for a given area of the province. Generally, Districts serving large populations have to deal with more spills than those that service less populated areas. However, the presence of a few major point sources in any one District can inflate the totals for a particular office. Table 2 shows the number of spills that occurred in each upper-tier Ontario municipality in 1991. The corresponding population and geographical area statistics are also provided. In general, it can be seen that the municipalities with the largest population tend to have the greatest number of reported spills. However, due to the concentration of industrial activities, some municipalities, such as Hamilton-Wentworth and Lambton County, have a higher number of reported spills.

Figure 3
Spills By MOE District



Sub-Officen

TABLE 2 SPILLS BY MUNICIPAL AREA

MUNICIPALITY	SPILLS	POPULATION	AREA (km²)	MUNICIPALITY	SPILLS	POPULATION	AREA (km³)
Metropolitan Toronto	558	177 572 2	630	Frontenac County	64	129 089	3 820
Hamilton-Wentworth R.M.	\$08	451 665	1 113	Wellington County	62	159 609	2 659
Niagara R.M.	302	393 936	1 851	Northumberland County	54	78 224	2 108
Lambton County	240	128 943	2 997	Oxford County	53	92 888	2 032
Ottawa-Carleton R.M.	218	678 147	2 757	Kent County	52	109 943	2 494
Thunder Bay District	205	158 810	109 564	Brant County	50	110 806	1 091
Peel R.M.	193	732 798	1 225	Bruce County	49	65 268	4 048
Algoma District	171	127 269	51 207	Grey County	48	84 071	4 505
Stormont/Dundas/Glengarry County	162	107 841	3 302	Sudbury Distict	47	26 178	43 275
Haldimand-Norfolk R.M.	153	707 86	2 911	Timiskiming District	46	38 983	12 705
York R.M.	151	504 981	1 756	Victoria County	42	63 332	3 067
Durham R.M.	140	409 070	2 489	Lanark County	40	54 803	3 064
Leeds & Grenville County	139	90 235	3 390	Parry Sound District	40	38 423	10 057
Waterloo R.M.	135	377 762	1 360	Muskoka D.M.	38	48 005	4 035
Halton R.M.	131	313 136	959	Perth County	35	926 69	2 190
Simcoe County	127	288 684	4 842	Prescott & Russell County	35	67 183	2 003
Sudbury R.M.	124	161 210	2 607	Huron County	35	\$9 065	3 402
Cochrane District	103	93 917	145 618	Elgin County	31	75 423	1 880
Middlesex County	76	372 274	3 361	Rainy River District	28	22 997	16 817
Hastings County	96	116 434	5 967	Lennox & Addington County	26	37 243	2 841
Nipissing District	98	84 723	18 011	Dufferin County	15	39 897	1 490
Essex County	83	327 365	1 862	Prince Edward County	15	23 763	1 048
Kenora District	73	58 748	396 871	Manitoulin District	6	11 192	3 679
Peterborough County	71	119 992	3 956	Haliburton County	و	14 421	4 169
Renfrew County	99	91 685	7 646	TOTAL	\$ 251	10 084 885	916 734

•• - Population & Area Data from 1991 Censua Information (Statistics Canada)

TABLE 3 SPILLS BY MATERIAL AND REGION

				MOE R	EGION			
	MATERIAL GROUP	SW	WC	С	SE	NE	ИW	TOTAL
	Crude	6	1	5	1	0	0	13
	Gasoline/Jet Fuel	72	92	256	129	62	37	648
0	Light Petroleum Oils	281	354	637	388	229	122	2011
I L	Heavy Petroleum Oils	19	55	42	11	16	6	149
S	Other Petroleums	27	29	38	13	10	3	120
	Non-Petroleum Oils	1	9	7	1	0	1	19
	SUB-TOTAL	406	540	985	543	317	169	2960
	Acids	17	35	26	49	20	11	158
	Bases	6	9	5	17	4	4	45
C H	Halogenated Solvents	3	4	8	3	1	0	19
E	Non-Halogenated Solvents	29	20	43	9	5	2	108
I C	Pesticides	7	11	15	7	7	3	50
A L	PCB's	19	19	37	19	3	0	97
s	Other Organic Chemicals	33	60	81	38	20	13	245
	Other Inorganic Chemicals	60	62	46	57	26	17	268
	SUB-TOTAL	174	220	261	199	86	50	990
	Smoke	12	93	28	7	6	1	147
	Dust/Particulate	7	32	13	2	7	0	61
G A	Nitrous Oxides	1	0	1	5	0	0	7
S E	Sulphurous Oxides	1	1	1	1	7	0	11
S	Natural Gas (Methane)	3	2	6	0	0	0	11
	Other Gases	66	73	46	20	23	10	238
	SUB-TOTAL	90	201	95	35	43	11	475
	Liquid Industrial	17	137	44	25	96	33	352
u	Hazardous Solid	2	5	2	0	3	1	13
A	Non-Hazardous Solid	2	19	17	11	12	1	62
S	Sewage	23	41	68	46	60	32	270
E S	Agricultural Wastes	17	4	2	4	1	0	28
	Other Wastes	20	81	55	19	29	16	220
	SUB-TOTAL	81	287	188	105	201	83	945
0	Feed & Foodstuff	6	6	14	2	1	4	33
T H	Unknown	5	5	14	5	3	0	32
E R	Other Materials	4	29	6	4	11	6	60
s	SUB-TOTAL	15	40	34	11	15	10	125
	TOTALS	766	1288	1563	893	662	323	5495

#### TYPES OF MATERIALS SPILLED

Table 3 is a tabulation of spills by material type and Ministry of the Environment Regions (Southwestern, West Central, Central, Southeastern, Northeastern and Northwestern). A number of spill occurrences involved more than one spilled material. Therefore, the total number of materials spilled (5495) exceeds the total number of reported spill occurrences (5251).

Oils, including gasoline, fuel oils, and light petroleum oils, accounted for 53.9% (2960) of all reported spilled materials. Many of these are operating fuels which were discharged as a result of transportation accidents or fuel leaks from fixed storage facilities. The Ministry's Central Region had the largest number of reported oil spills.

Chemicals, including chemical solutions, comprised the second largest category of spilled materials. These substances are often referred to as environmentally hazardous materials. This category has been divided further into various sub-categories. The two largest sub-categories of "other organic" and "other inorganic" accounted for just over half of all chemical spills and 9.3% of all materials spilled. Spills involving Polychlorinated Biphenyls (PCB's) in concentrations greater than 50 parts per million accounted for 9.7% of chemical spills and 1.8% of all materials spilled. Central Region had the largest number of reported chemical spills followed by West Central, Southeastern, and Southwestern.

Wastes accounted for the third largest category in Table 3, representing 17.2% of all materials spilled. These are materials that were considered wastes prior to the spill occurrence. They may have originated as byproducts of industrial processes and may involve abnormally high concentrations of pollutants in otherwise normal wastewater discharges. The largest number of spills in this category occurred in the Ministry's West Central and Northeastern Regions.

Gaseous spills accounted for 8.6% of the reported spills. Many of these occurred in West Central Region and are attributed to steel making operations in the Hamilton area.

TABLE 4
FOUR YEAR COMPARISON OF SPILLS BY MATERIAL

	YEAR								
MATERIAL GROUP	1991		199	1990		1989		8	
GROUP	SPILLS	%	SPILLS	%	SPILLS	%	SPILLS	%	
Oils	2960	53.9	3144	52.4	2831	49.8	2136	50.8	
Chemicals	990	18.0	1031	17.3	1118	19.6	798	19.0	
Gases	475	8.6	717	12.0	864	15.2	546	13.0	
Wastes	945	17.2	1032	17.2	763	13.4	602	14.3	
Unknown	32	0.6	37	0.6	81	1.4	96	2.3	
Other	93	1.7	30	0.5	32	0.6	24	0.6	
Totals	5495	100.0	5991	100.0	5689	100.0	4202	100.0	

Table 4 provides a four year comparison of spills by material group. The relative percentages of each major material category are shown along with the actual number of materials spilled. The results show a significant decline in the number of gaseous spills since 1989.

#### SPILL VOLUMES

Spill quantity information in this report is presented by sorting the volumes of the material categories oils, chemicals and wastes into the quantity groups shown in Figure 6. Spills of solids have been included where applicable by converting kilograms to litres.


From Figure 4, it is evident that a large proportion of spills reported to SAC involved oils and many of these were relatively small quantities. The data points (the number of spills in each quantity group) at the base of the graph can be used to show that 585 (22% of the oil spills) were less than 10 litres, cumulatively 1749 (67%) were less than 100 litres and 2438 (93%) were less than 1000 litres (about the size of a home heating fuel tank). These figures are indicative of a continuing trend by industry and others to report more small volume spills which may not have been considered reportable several years ago.

About 23% of the chemical spills with known volumes were less than 10 litres, cumulatively 51% less than 100 litres and 81% were less than 1000 litres. Spills of chemicals are often of larger volume than spills involving oils because the contaminant of concern is in a solution.

Spills of wastes and wastewaters consist most of the time of very large proportions of water in comparison to the concentration of contaminants in the waste or wastewater. There were only a few small quantity waste and wastewater spills reported. In comparison to the volumes of oil and chemical spills, most spills in the waste or wastewater category, although few in number, were relatively large in volume. About 56% of the waste spills were greater than 1000 litres.

The combined oil, chemical and waste spill volume data in Figure 4 can be used to show that 20% of all spills were less than 10 litres, 58% less than 100 litres and 85% less than 1000 litres.

# Figure 4 Spill Volumes By Material Type



Volume was known for 3888 (79 %) of the Spills involving these materials


#### ENVIRONMENTAL IMPACT

The spills summarized in this report involve a wide range of materials, quantities, and circumstances, all of which can contribute to the effect of the spill on the environment. In order to provide some measure of the seriousness of a spill, the occurrence report form contains a field for documenting the likelihood of an environmental impact of the spill at the time it was reported, as well as a field which describes the nature of possible or confirmed impacts. The likelihood of impact and nature of "confirmed" impacts are illustrated in Figure 5.

Adverse environmental impacts were confirmed for 14% (711 of 5251) of the spills, as shown in Figure 5. A further 43% (2257) of the spills were recorded as having a potential impact or adverse effect. A similar number of spills (2283 or 43%) were considered not to have any adverse environmental impact within the impact concepts represented by the coding fields identified in Appendix II. Confirmation of impact is frequently not a good indicator of the extent of the impact. For example, a spill which has a confirmed soil contamination impact may involve the removal of a few shovels of contaminated soil or it may involve the removal of several hundred cubic meters of contaminated soil. The interpretation of environmental impact needs to be made of each incident in conjunction with the volume and type of substance spilled, location, time of year and other environmental factors. There is no factoring available that can be used to add up a cumulative environmental impact for all incidents which can be presented as a summary. Individual impacts cannot be added up to a cumulative environmental impact that can be presented in a summary.

Figure 5 also illustrates that for spills with a confirmed environmental impact, two-thirds involved soil contamination and less than one-fifth involved surface water contamination. The incidents which refer to impact on wild life were spills that resulted in confirmed fish kills.

Fifteen spills were reported to have resulted in human health and safety concerns.



#### SPILL CLEANUP

Part X of the Environmental Protection Act requires that spills be cleaned up promptly and to the extent practicable. It places the primary cleanup responsibility on the discharger, that is the person who owned as well as the person who had control of the pollutant immediately prior to the spill. For the most part, spills are cleaned up directly by those responsible or indirectly by their contractors or industrial spill cleanup cooperatives. Municipalities provide cleanup response on an as required basis. The success of cleanup efforts is often related to the terrain and access to the spill site, soil conditions, types of water bodies involved, the quantity and nature of the material(s), weather and light conditions, availability of expertise and resources, and the time required to mobilize a response. Spills to land have a much higher cleanup success rate than do spills to surface waters and releases of gaseous substances to atmosphere are normally impossible to clean up.


The Ministry tracks the status of spill cleanup success with ORIS. In 1991, cleanup data was available for 5009 spills out of the total of 5251. The results for these 5009 spills are shown in Table 5 below. The bulk of the 1828 spills with zero% cleanup were spills to air or spills to water where cleanup was not practicable.

TABLE 5
SPILL CLEANUP RESULTS

Cleanup Percentage	Number of Spills
0 (No cleanup)	1828 (36%)
1 - 50	128 (3%)
51 - 90	676 (14%)
91 - 100 (Complete cleanup)	2377 (47%)

Figure 6
Spills By Sector

### Sector



Reported Spills: 5251

#### SPILLS BY SECTOR

Figure 6 summarizes spills by the various industrial and service sectors. The industrial sectors with the largest numbers of reported spills were transportation, petroleum, chemical, and metallurgical. Collectively, spills from these four sectors accounted for close to half of all spills reported to SAC. These 1991 results are compared to the previous three years in Table 6. The largest numbers of non-industrial sector spills were attributed to hydro utilities, residential/private and sewage systems.

There were 785 spills attributed to the transportation sector. This sector includes companies and carriers whose <u>only</u> business is the transportation of materials or people. It does not include the private transportation services operated by other industries such as the petroleum, chemical, or pulp & paper industries. (The total number of spills involving all transportation activities from all sectors was 1514. This is dealt with on page 23.)

The **petroleum** sector includes <u>all</u> services operated by the petroleum industry, including refineries, storage depots, tank trucks and service stations. Combined, there were 691 spills from all operations within this sector. The majority (71%) of the spills in this sector occurred from fixed facilities such as service stations, storage depots, bulk stations and refineries. The bulk of the remainder (28%) were from tank trucks, and these include cargo as well as operating fuels and other operating liquids.

The metallurgical sector includes facilities involved in the manufacturing of primary metals. Most of the 424 spills in the metallurgical sector occurred at 5 facilities located in Hamilton, Nanticoke, Sudbury and Sault Ste. Marie.

The chemical sector applies to chemical process facilities that produce basic chemicals or feed stocks and includes chemical company transport vehicles. The number of reported spills from this sector decreased by 28 percent from the previous year. Almost one third of the 441 chemical sector spills occurring in 1991 occurred at 3 facilities which are located in Maitland

Township, Cornwall and Hamilton. One fifth of the chemical sector spills occurred in the Sarnia area.

TABLE 6
YEARLY COMPARISON OF HIGHEST RANKED INDUSTRIAL SECTORS

	YEAR								
INDUSTRIAL SECTORS	1991		1990		1989		1988	3	
	SPILLS	%	SPILLS	%	SPILLS	%	SPILLS	%	
Transportation	785 1	4.9	834	14.7	715	13.4	473	11.6	
Petroleum	691 1	3.2	712	12.5	709	13.3	547	13.4	
Metallurgical	424	8.1	476	8.4	502	9.4	424	10.4	
Chemical	441	8,4	615	10.8	585	10.9	416	10.2	
Totals	2341 4	4.6	2637	46.4	2511	47.0	1860	45.6	

The 712 hydro utility spills shown in Figure 7 involved discharges of insulating oils from capacitors and transformers in Ontario's vast electrical distribution system. Some are the direct result of traffic accidents or electrical storms in which ground level or pole mounted transformers were ruptured. Ontario Hydro and local municipal utilities are responsible for maintaining their respective portions of Ontario's electrical network and for cleaning up these spills when they occur. The hydro utility category also includes spills from Ontario power generating plants. Generally, these spills involved hydraulic fluids, lubricating oils or abnormal discharges of smoke.

The 405 spills categorized as being from the residential or private owner spills primarily involved discharges of operating fluids from privately owned motor vehicles and discharges from home heating fuel storage tanks.

Ontario has approximately 420 sewage treatments plants and numerous sewage pumping stations. About 60% of the plants are run by the Province while the remainder are operated by the municipalities they serve. There were 248 spills from provincial and municipal sewage treatment systems. These involved abnormal or accidental discharges of sewage.

#### SOURCES OF SPILLED MATERIALS

Figure 7 summarizes spills by several specified source categories. Spills from motor vehicles is the largest source category accounting for 1365 spills or 26% of all spills reported. This category covers all types of road vehicles, including transport trucks, tank trucks and automobiles. Spills from these sources are often of operating fluids (gasoline, motor oil, hydraulic oil) and also include cargo carried by the vehicles such as petroleum products, chemicals and waste materials. As mentioned in the section dealing with spills by sector, there were a total of 1514 spills involving all transportation modes. The 149 transportation-related spills that were not from motor vehicles consisted of 77 spills from ships and boats, 59 involving trains, and 13 involving aircraft. In total, transportation-related sources accounted for 29% of all spills.

There were 1307 spills from manufacturing and processing facilities. Of this group, 31% of these spills occurred at chemical facilities, 29% at metallurgical facilities, 16% at general manufacturing plants, 12% at pulp & paper plants, 6% at petroleum sector facilities, and 6% occurred at facilities operated by various other sectors.

The storage facility category includes both private and commercial sites at which materials are stored for on-site use or distribution to other sites. This category includes sources ranging from small residential furnace oil tanks and large petroleum storage depots. In total, 523 spills occurred at these sites which represents about 10% of all spills reported during 1991.


Spills from electrical transformers accounted for 413 occurrences. These occurrences typically consisted of amounts of less than 100 litres of oil spilled as a result of transformer failure.

There were 269 spills at service stations during 1991. This category includes all types of vehicle servicing facilities, gas stations, as well as marinas. Spills at these sites typically involve leaks of petroleum products from storage tanks, fuel draining from hoses, and overflows which occur

Figure 7

Spills By Source

## **Source**



while vehicle tanks are being filled.

The next largest source category reported were 268 spills from sewage systems, including septic tanks, sanitary sewers, pumping stations and the water pollution control plants (WPCP). Such discharges often occur when septic tanks overflow or when equipment at the WPCP fails. Often, however, heavy rains or increased flows from spring run-off overload sewage systems, resulting in a bypass of sewage to the receiving watercourse. Bypasses, when caused by rain or runoff are exempt from Part X of the EPA and, as such, are not considered spills.

The generating station category includes all types of heat and power generating facilities, many of which are operated by Ontario Hydro. The 139 spills which occurred at these sites in 1991 typically involved spills of lubricating oil or significant releases of smoke and other gases to the atmosphere.

There were 52 spills in the production field category, which covers spills of raw materials at the point of extraction. Spills of oil from wells or drilling rigs, for example, fall within this category as do spills at or from mines or gravel pits.

The pipeline category is used for spills of materials from bulk distribution systems or pipeline systems and does not include discharges from small in-plant piping systems. Oil and natural gas pipelines are in this category. There were 39 spills.

The other source category covers discharges from all other types of sources not listed above. Discharges from these various sources accounted for 443 spills.


In some cases, the Ministry is unable to determine the source of a spill. Typically, these occurrences involve spills to roads, ditches or watercourses where the source of the material cannot be found. Some of these occurrences involve the illegal dumping of materials. In 1991, 284 spills occurred where the Ministry could not determine the source.

Figure 8


# **Spills By Cause**

# Spills By Reason





# Reason



Reported Spills: 5251

Reported Spills: 5251

Spills

### CAUSE AND REASON

Each spill is given a cause and a reason code to indicate the factors reportedly or most likely contributing to the discharge. "Cause" refers to how a spill occurred and "reason" attempts to clarify the cause by identifying the primary contributing factor. For example, a spill may be caused by a transportation accident and the reason for the accident may be adverse road conditions.

Figures 8 summarizes the various cause and reason categories attributed to spills in 1991. Container leaks, pipe and hose leaks and container overflows caused nearly half of all spills. Equipment failure and operator error were the major reasons for spills. These values are consistent with those presented in previous years.

Cause and reason codes are used together to provide more meaningful information in Appendix III. Since space does not enable the full descriptions of each code to be shown on the table, the numeric codes have been used instead. These codes are defined in Appendix II and an abbreviated version of the definitions is located in Appendix III.

Appendix III reveals that only 15 combinations of cause and reason code combinations, out of a possible 506, account for nearly half of all reported spills (2352 spills out of 5251). These combinations are summarized in Table 7. There were 285 spills for which neither cause nor reason were known or could be determined.

Table 7

Major Combinations of Causes and Reasons for Spills

CAUSE	REASON	SPILLS
Pipe/Hose Leak	Equipment Failure	350
Container Overflow	Error	250
Valve/Fitting Leak/Failure	Equipment Failure	217
Pipe/Hose Leak	Error	177
Container Leak	Equipment Failure	168
Cooling System Leak	Equipment Failure	158
Container Leak	Unknown	152
Transport Accident	Error	137
Container Overflow	Equipment Failure	135
Pipe/Hose Leak	Overstress/Overpressure	124
Wastewater Discharge/Bypass	Equipment Failure	123
Process Upset	Equipment Failure	96
Underground Tank Leak	Corrosion	94
Container Leak	Damage By Moving Equipment	88
Valve/Fitting Leak/Failure	Error	83
1	TOTAL	2352

Note: There is some room for overlap with these codes. Often, the occurrence receives the coding combination that is the "best-fit", even though a similar combination might also be appropriate.

# SPILLS TO THE GREAT LAKES AND THEIR INTERCONNECTING CHANNELS

This section of the report focuses on oils and chemicals which spilled directly to the waters of the Great Lakes System. The importance of the Great Lakes cannot be overstated. They contain about 20% of all of the world's fresh water. While it is presumed that spills constitute a very small fraction of total pollution loading to the Great Lakes, the immediate impact of some spills can have a significant local impact.

Oil and chemical spills which occurred during 1991 were analyzed closely to identify those which were spilled to the Great Lakes and the interconnecting channels. Spills from shore facilities, spills associated with the marine transportation mode which occurred on or to the waters of the Great Lakes system, and spills to sewers or drains which discharged directly to the waterbodies were included in this group. In total, there were 288 spill incidents of oils and chemicals to the Great Lakes system during 1991 from a variety of sectors. These are summarized in Table 8. This total represents a reduction of 45 spills from the total number of oil or chemical spills to the Great Lakes which occurred during 1990.

Some of the spill incidents involved more than one material released during the occurrence. Table 9 summarizes the total number materials spilled in the oils and chemicals groupings.

Figure 9 reflects the number of oil and chemical spills to the Great Lakes in volume groups similar to those reported in Figure 4 of the report. About 63% of these spills were in quantities of less than 1000 litres. Similar observations were made in previous years. This is a further indication that the majority of spills reported involved relatively small quantities.

As was already indicated in the report, spills are most difficult to deal with when they impact open waterbodies. Currents encountered in the interconnecting channels of the Great Lakes make cleanup even more difficult. Spills of chemicals add another level of difficulty to cleanup efforts, and spills of soluble chemicals, chemical suspensions, or solutions are essentially

TABLE 8

OIL AND CHEMICAL SPILLS TO THE GREAT LAKES - SECTOR SUMMARY


	TOTAL	æ	2	37	ş	9	37.	-	g	93	f	16		1	35	-	19	288
	ST. LAWRENCE RIVER	42								7		3		-	-			*
	LAKE	3	-	15	3	3	34		9		3	\$		3	13		14	101
	NIAGARA RIVER			3														•
	LAKE	-		7	0	1			3			1			2	1		9
WATERBODY	DETROIT	5	1			1									1		2	g
3	ST.CLAIR RIVER	24		4	1	1			17			2			12		3	72
	LAKE HURON			80	1			1				3						**
	GEORGIAN BAY											2	-		2			,
	ST. MARYS RIVER						3			2					1			*
	LAKE SUPERIOR									11					3			7.
SECTOR		Chemical	Food Processing	Hydro Utilities	Other Government	General Manufacturing	Metallurgy	Mining	Petroleum	Pulp & Paper	Recreational	Residential/Private	Retail	Service Industry	Transportation	Other	Unknown	746

TABLE 9

OIL AND CHEMICAL SPILLS TO THE GREAT LAKES - MATERIAL SUMMARY

14101					* WATERBOOY	ρ¥					
GROUP .	LAKE SUPERIOR	ST. MARYS RIVER	GEORGIAN BAY	LAKE HURON	ST. CLAIR RIVER	DETROIT	LAKE ERIE	NIAGARA RIVER	LAKE	ST. LAWRENCE RIVER	TOTAL
					-						-
Gasoline/Jet Fuel			3	n	r.				80	2	4
Light Petroleum Oils	2	-		9	12	2	7	2	57	3	83
Heavy Petroleum Oils	2			2	2	-	7	-	13		31
Other Petroleum Oils	-				80	2	-		15		27
Non-Petroleum Oils											
SUB-TOTAL	2		9	14	62	5	12	3	81	2	161
Acids	2			-	-		-		3	32	07
	3				2				•	7	11
Halogenated Solvents					-						-
Non-Halogenated Solvents	-	-			10	-			-		14
Pesticides										-	-
Other Organic	3	3		-	8		2		9	3	92
Other Inorganic	-	-			15	7	2		15	6	25
SUB-TOTAL	10	5		2	38	5	5		56	67	140
TOTAL	15	9	9	16	19	10	-21	3	101	54	301

Figure 9
Great Lakes Spill Volumes
By Material Type



Volume was known for 236 of 292 (81%) Spills to the Great Lakes System Involving Oils and Chemicals impossible to clean up. These generalities are supported by Table 10 which summarizes information on cleanup achieved for oil and chemical spills to the Great Lakes for which clean up information was available. Cleanup details were known for 274 of the 288 spills to the Great Lakes system.

TABLE 10
GREAT LAKES SPILL CLEANUP

CLEANUP PERCENTAGE	MATE	RIAL TYPE
	OILS	CHEMICALS
0%	70	119
< 50%	23	7
51 - 90 %	24	6
91 - 100 %	21	4
TOTAL	138	136

# APPENDIX I

# SAMPLE OCCURRENCE REPORT

### Jul. 06,1992 PAGE: 1

# OCCURRENCE REPORT

	=======		=========		==========
Received By BUD TOWER	Regio	on No.	S.A.C.	No.	I.E.B. No.
Occurrence Type: SPILL Subtype: LAND Action Class: 1:[25] 2:[12]		Occurre	ט nce: 91/01	ate 1/01	Time (24 hr) 12:00
Reported by (Name/Organization HAL SMITH		Report Report MOE at 1	to SAC: 91/01 to MOE: 91/01 Scene: 91/01	l/01 l/01	12:30 12:30 13:30
POLICE DEPARTMENT Tel. No.: 705-555-1212 EXT. Alt. No.: EXT. Address:	. <b>:</b> . <b>:</b>	Environ	nental Office	er Assi	gned:
399 MAIN STREET SUDBURY Postal Code: F	23A 1T2				
Location of Occurrence: Region: 5 NORTHEAST District: SD SUDBURY Municipality: 23101		Source: PRIN MOTOR VE	/ATE OWNER EHICLE		
		Source: UTM:			SIC: [9741]
		N: [514	18000] E: [ 5	500000]	Zone: [17]
Syn:PRIVATE AUTOMOBILE: 5 LITRES GASOLINE SPILLEDTO GROUND DUE TO ACCIDENT					
Brief Summary: 5 LITRES OF GASOLINE SPILLE VEHICLE WAS STRUCK BY ANOTH THE WORKS DEPARTMENT RESPON WHICH THEY WILL DISPOSE OF MOE ABATEMENT OFFICER CHECK COMPLETE.	HER CAR. NDED AND ( AT THE W/	CLEANED UF ASTE DISPO	THE SPILLED	FUEL	WITH SAND,
If there are related reports,	, list the	em in the	summary pred	ceeded	by 'RELATED'.
Follow-up Action: [X] Abatem SITE VISIT - CLEAN UP COMPL		[EB [ ] 01	THER		
Suspected Violation Code: [	]				gator Assigned
File Closed: [ ] Abatem	ment [ ] ]	EB [ ] 01	HER   100 1		gator Assigned
Report Prepared by: Da		BF Date	Person-Days	MBR	Function
Approving Officer					Date
List numbers showing: A - rou A: [ ] [ ] [ ] [ ] [ ] B: [ ] [ ] [ ] [ ] [ ]	iting of 1 1. 2. [ ] 3. 7.	the origing Investigation Distribution SAC Other	nal, B - dist stor/ERP ficer/file	ributi 4. Reg 5. IEB 6. IEB	on of copies. .Dir or Mgr Reg. Super. H.O./file

Jul 06 1992 PAGE: 2

Region No.: - S.A.C. No.: - IEB No.:

\_\_\_\_\_ Code..: 12 Material 1: GASOLINE

Amount: 5 L UN No.: 1203 Material 2: Code..:

UN No.: Amount: Code..: Material 3: Amount: UN No.:

Code..: 08 Cause..... OTHER TRANSPORTATION ACCIDENT Reason..... ERROR Code..: 02

Contact: [N] ERP Name: Callout: [] SAC Operator: Date: Time: :

Controller of Material: PRIVATE OWNER Code..: N/A Owner of Material....: PRIVATE OWNER
Agencies Involved....: SUDBURY WORKS DEPARTMENT Code..: N/A

Clean up and Restoration Carried out by:
[N] Controller [N] Owner [Y] Other: SUDBURY WORKS DEPARTMENT

% Cleaned up: 100.00 Estimated Cost: \$

Were Directions or Approval Given Under | Emergency EPA Part IX [N] Regulation 11/82 [N] | Generator No.

Waste Class: NOT APPLICABLE Code..: 000 Hauler: SUDBURY WORKS DEPARTMENT Code..: A000000

Disposal Site: SUDBURY WASTE DISPOSAL SITE Code..: A999999

Environmental Impact: | Nature of Impact: NOT ANTICIPATED | Code..:

People/Business Damaged (Other than to Owner/Controller)

Nature of Damage: Code..: nature or ballage.

# APPENDIX II

ORIS CODING CATEGORIES

### **OCCURRENCE TYPE CODES**

S Spill

sub category:

L Land

W Water A Air

N Notification

sub category:

01 Condition of Operation

02 C of A Non-Compliance03 Order Non-Compliance

C Complaint

sub category:

01 Odour 02 Noise

06 Water Pollution

03 Dust/Particulate

07 Drinking Water08 Vegetation Damage

04 Smoke05 Litter/Waste

99 Other

O Other

### II - 2

### MATERIAL CODES

Series: OIL	20	Series: CHEMICAL
Crude	21	Acids
Gasoline/Jet Fuel/Kerosene	22	Bases
Light Petroleum Oils: Motor,	23	
Diesel, Furnace, Mineral		
•		
Lubricating, Tar, Asphalt	26	Polychlorinated Biphenyls
<del></del>		(PCB's)
Non-Petroleum Oils		Other Organic
	28	Other Inorganic
Series: GASES/PARTICULATE	40	Series: WASTES
Smoke	41	Liquid Industrial
Dust/Particulate	42	Hazardous
Nitrous Oxides (NO.)	43	Non-hazardous Solid
` ~	44	Sewage
Natural	45	Agricultural
Other Gases	46	Other Wastes
Series: MISCELLANEOUS		
Feed & Foodstuff		
Unknown		
	Gasoline/Jet Fuel/Kerosene Light Petroleum Oils: Motor, Diesel, Furnace, Mineral Heavy Petroleum Oils: Bunker, Lubricating, Tar, Asphalt Other Petroleum Oils Non-Petroleum Oils  Series: GASES/PARTICULATE  Smoke Dust/Particulate Nitrous Oxides (NO,) SO2 Natural Other Gases  Series: MISCELLANEOUS  Feed & Foodstuff Not Applicable	Crude Gasoline/Jet Fuel/Kerosene Light Petroleum Oils: Motor, Diesel, Furnace, Mineral Heavy Petroleum Oils: Bunker, Lubricating, Tar, Asphalt Other Petroleum Oils Non-Petroleum Oils Non-Petroleum Oils Series: GASES/PARTICULATE  Smoke Dust/Particulate Nitrous Oxides (NO <sub>2</sub> ) SO <sub>2</sub> Natural Other Gases  Series: MISCELLANEOUS  Feed & Foodstuff Not Applicable

98 99

Other

### **ENVIRONMENTAL IMPACT - NATURE OF IMPACT CODES**

01	Human Health or Safety	06	Surface Water Pollution
02	Fish Kill	07	Soil Contamination
03	Other Kill or Injury	99	Other Damage
04	Vegetation Damage		
05	Groundwater Pollution		

### Nature of Damage Codes

(Used to flag incidents of potential interest to the Environmental Compensation Corporation)

01	Personal Injury	04	Business/Wages Loss
02	Property Damage		
03	Cleanup/Restore Cost	99	Other Damage

### SECTOR CODE DESCRIPTION

AG	Agriculture	-	includes co-ops, farms, ranches
СН	Chemical	-	chemical processing facilities that produce basic chemicals or feed stocks (incl. derivative products) and associated bulk transport vehicles
FD	Food Processing	-	canners, meat/fish packers (NOT distribution/retail)
FO	Forestry	-	forestry activities, operations vehicles
Gove	rnment - GM (Municipal) - GF (Provincial) - GF (Federal)	-	governmental and quasi-governmental bodies/organizations
GN	General Manufacturing	-	light manufacturing; metal plating, fabricating, textiles, etc.
ME	Metallurgy	-	steel and other metal manufacturing
MN	Mining	-	mining operations and associated equipment/vehicles
PE	Petroleum	-	includes bulk transport vehicles and service stations
PP	Pulp & Paper	-	processing facilities of pulp and paper industry
RE	Recreation	-	facilities which provide relaxation
RS	Residential/Private	-	house, cottages, vehicles, boats, aircraft
RT	Retail	-	diversified retail establishments
SI	Service Industry	-	dry cleaners, waste disposal, contractors, hotels, etc. including libraries and educational institutions.
TA	Transportation	-	carriers whose ONLY business is providing transportation services
ОТ	Other	-	sector not otherwise defined
UK	Unknown	-	sector not determined

### SOURCE CODE DESCRIPTION

AC	Aircraft	-	all vehicles that fly (except hovercraft)
BC	<b>Bulk Marine Carrier</b>	-	carriers of solid bulk cargo
MT	Marine Tanker	-	carriers of liquid/gaseous cargo
MR	Marine Terminal	-	commercial waterfront facility
PC	Pleasure Craft	-	privately owned recreational watercraft
ow	Other Watercraft	-	other commercial or gov't watercraft
TR	Train/Railroad	-	all vehicles that run exclusively on rails
TT	Tank Truck	-	road vehicles carrying bulk cargo in liquid, gaseous, powdered or other pumpable forms
TP	Transport Truck	-	general cargo transport road vehicle
MV	Motor Vehicle	-	road vehicle not otherwise defined
PF	Production Field	-	spills of raw materials at point of extraction
PL	Pipeline	-	bulk transportation lines (excluding "in-plant" piping)
RF	Petroleum Refinery	-	petroleum refining facilities
SD	Storage Depot	-	bulk storage facilities from which materials are distributed for sale
SS	Service Station	-	incl. airports, marinas and motor vehicle facilities
os	Other Storage Facility	-	storage for on-site/private use (industrial plants, farms, residences)
HP	Heat/Power Plant	-	includes electric generating stations
OP	(Other) Plant	-	manufacturing/processing facilities (except refineries)
ST	Sewage Treatment	-	includes sewage treatment plants and lagoons
sw	Sewer	-	municipal/industrial wastewater collection systems
TF	Transformer	-	electrical transformers, capacitors etc.
WD	Waste Disposal	-	landfill sites, industrial waste treatment plant
WS	Water Supply	-	water treatment/distribution systems
OT	Other	-	source not otherwise defined
UK	Unknown	-	source not determined

# II - 6

CAUSE CODES
(answers the question, "what happened?")

	(allswers the question,	
01	Collision (Watercraft)	<ul> <li>accidents involving watercraft only</li> </ul>
02	Grounding (Watercraft)	<ul> <li>watercraft running aground</li> </ul>
	Sinking Watercraft	- other than from collision or
	- 9	grounding
04	Ship's Tank/Bilge Pumping	- wastewater discharge from
04	Ship 3 Tank Dife Tamping	watercraft
05	Derailment ·	- accidents where railcars or engines
US	Deranment ·	leave the rails
0.0		200.0 0.0 100.0
	Crash (Aircraft)	- applies only to aircraft accidents
	Overturn (Truck/Trailer)	- trucks and tractor trailers only
08	Other Transport Accident	- road vehicle accidents other than
		above
09	Overflow (Tanks, Lagoons)	- overfilling tanks, containers and
		dikes
10	Pipe and Hose Leak	- from piping systems but not cooling
	•	systems
11	Valve/Fitting Leak/Failure	- leaks from specific parts of
	Tarrows Double a march	equipment containers or pipelines
12	Bladder Leak	- leaks from flexible storage
12	Bladder Leak	containers
12	Tank Leak (Underground)	- buried storage tanks and associated
13	Tank Leak (Underground)	piping
1.4	Container Look Fred Tortes Bornels	- includes bottles, boxes, vats &
14	Container Leak, Fuel Tanks, Barrels	
		vehicle fuel/cargo tanks (other than
	The 1 CT 1	cause 13 and 20)
15	Discharge/Bypass to Watercourse	- accidental or unusual variation of
		wastewater discharges to
		watercourses
16	Well Blowout (Oil and Gas)	- applies to oil or gas wells
17	Process Upset	- an usual variation in the regular
	-	discharge of a contaminant to air
		due to a fluctuation in the process
18	Dyke failure (Lagoons, Ponds)	- storage pond, lagoon wall failure
	Cooling System Leak	- applies to transformers, capacitors,
	Cooling Dystein Dean	vehicle radiators, nuclear reactors,
		or other power plants
20	Tonk Look (Surface)	
20	Tank Leak (Surface)	- storage tanks (fixed), tank-farm,
		heating systems (incl. delivery to
21	C4 4 XI 4 (C) 4 B 4 XI 4	disconnected filler-pipes)
	Start Ups/Shutdowns/Interruptions	- operating condition change
	Unknown	- cause of release not determined
99	Other Discharges	- to air/land/water, not otherwise
		1 6 . 1
		defined

### **REASON CODES**

(answers the question, "why it happened")

	REASON FOR INCIDENT	-	the primary contributing factor to the cause
02 03 04	Intentional/Planned Error Vandalism Ice/Frost Power Interruption		intentional or planned release releases due to mistakes illegal/deliberate releases (incl. sabotage) releases resulting from freezing, frost heave, the weight of snow/ice, or falling ice releases resulting from loss of power
	Fire/Explosion	-	releases resulting from fires/explosions (not releases that cause a fire or explosion)
07	Storm/Flood	-	releases resulting from storm/flood/lighting (incl. compulsory wastewater bypasses due to high flows)
08	Earthquake, slide	-	releases resulting from NATURAL earth movements
09	Subsidence	-	release through settling of disturbed soils
10	Equipment Failure	-	malfunctions in system components (e.g. brakes valves)
11	Weld/Seam Failure	-	releases from point where material is joined to form the wall of a pipe/tank or other vessel
12	Overstress/Overpressure	-	any form of overloading wherein the design strength of container was exceeded
13	Corrosion	-	includes all forms of corrosion (internal/external)
14	Material Failure	-	poor design or substandard materials
15	Damage by Moving Equipment	-	containers damaged by vehicles
16	Gasket/Joint	-	any point of connection (except reason 11)
17	Negligence (Apparent)	-	release due to lack of diligence
18	Adverse Road Condition	-	road faults, ice/snow, material on road
19	Combustion Problems	-	stack emissions due to poor burning conditions
97	Careless Application	-	misuse of pesticides, fertilizers, sludge
98	Unknown	-	primary reason for release not determined
99	Other	-	primary reason for release not otherwise defined

II - 8 MINISTRY DISTRICT CODE TABLE

MINISTRY REGION	DISTRICT CODE	<b>DISTRICT</b>
Southwest	LD OS SR WD	London Owen Sound Sarnia Windsor
West Central	CA HA WL	Cambridge Hamilton Welland
Central	BA MH OA PT TE TW YD	Barrie Muskoka/Haliburton Oakville Peterborough Toronto East Toronto West York Durham
Southeast	BV CW KG OT PM	Belleville Cornwall Kingston Ottawa Pembroke
Northeast	NB PA SD SM TI	North Bay Parry Sound Sudbury Sault Ste. Marie Timmins
Northwest	KN TB	Kenora Thunder Bay

### **APPENDIX III**

SPILLS BY CAUSE AND REASON

# CAUSE AND REASON CODES COMBINED

	TOTALS	127	1125	122	3	2	121	123	3	2	1346	87	240	300	116	210	113	126	33	26	2	72.1	152	5251
	8	38	31	23	-	-	36	°		7	٥			-	-			16	7	2	2	~	5	193
	86	-	4	2	-		8	Ì			7					-		-				285	~	310
	21	22	4			٣					13		2					-		2		-		53
	20	1	25	16	7		7	-	1		41	15	3	33	12	9	3	7				92	8	206
	19	2	30	٥	-	7	20	8			158	13	33	23	5	43	21					19	16	463
	18								1	2		-	3	2	7							7		\$2
	17	7	21		-	14	13				%	2	4		5		٠	2		21		19	9	212
	16		-			1	1			1														4
	15	12	31	3	-	20		20			123	2	4	-	-		-	5		-	-	58	15	346
	14	18	235	52	7		29	6	1		168	59	20	2	92	88	6	39	7			152	27	983
CAUSE	13		=					1			14		3	76	9	5		1				92	2	163
5	12															1								-
	11	2	83	5	4	7	-				217	9	12	9	Ξ	3	41	-				16	2	433
	10	7	171	8	14		7	1			350	19	124	65	77	37	36	18				51	72	926
	60	3	250	3	11	12		19			135		20					19				38	92	536
	80		137		1		7				6			-		13			21			14	3	203
	20		22								3					11		6				6	-	103
	8		2								2													7
	55		2	-							-				-	2						7		=
	70	3	9								2						-	1				7		17
	03						-				ŀ											80	-	=
	05		3																					m
	10		2																					~
	REASON	10	05	03	70	50	90	20	80	60	10	11	12	13	14	15	16	17	18	19	26	86	8	TOTALS

	CAUSE		REASON
01	Collision (Watercraft)	01	Intentional/Planned
02	Grounding (Watercraft)	02	Error
03	Sinking Watercraft	03	Vandalism
04	Ship's Tank/Bilge Pumping	04	Ice/Frost
05	Derailment	05	Power Interruption
06	Crash (Aircraft)	06	Fire/Explosion
07	Overturn (Truck/Trailer)	07	Storm/Flood
08	Other Transport Accident	08	Earthquake, slide
09	Overflow (Tanks, Lagoons)	09	Subsidence
10	Pipe and Hose Leak	10	Equipment Failure
11	Valve/Fitting Leak/Failure	11	Weld/Seam Failure
12	Bladder Leak	12	Overstress/Overpressure
13	Tank Leak (Underground)	13	Corrosion
14	Container Leak, Fuel Tanks, Barrels	14	Material Failure
15	Discharge/Bypass to Watercourse	15	Damage by Moving Equipment
16	Well Blowout (Oil and Gas)	16	Gasket/Joint
17	Process Upset	17	Negligence (Apparent)
18	Dyke failure (Lagoons, Ponds)	18	Adverse Road Condition
19	Cooling System Leak	19	Combustion Problems
20	Tank Leak (Surface)	97	Careless Application
21	Start Ups/Shutdowns/Interruptions	98	Unknown
98	Unknown	99	Other
99	Other Discharges		

<sup>\*</sup> See Appendix II for a complete Description of these Codes.